

TECHNICAL DATA SHEET

AMPAC A - 888 Silicone Spinneret Spray

Spinneret Cleaner

AMPACA - 888 Silicone Spinneret Spray is to clean the surface and fine hole soft the spinnerets by penetrating inside and removing the greasy film of oligomers and burnt polymers. The solvents being highly volatile liquids get evaporated leaving only a thin uniform film of silicone oil inside the holes and surface of spinnerets.

AMPAC A-888 Silicone Spinneret Spray is apropriety aerosol product having High Viscosity Silicone Oil. Its used in the product is its thermal stability and resistance to oxidation and charring in exposed conditions at high temperatures (exceeding300°C). The Silicone Oil forms a thin film on the spinneret surface and maintains its effect for along duration due to its heat stability and low volatility.

Application:

Spinneret, cleaning up silicone, dissolving silicone oil, remove silicone oils from metal.

TYPICALPROPERTIES

AMPAC A-888 Silicone Spinneret Spray	Spinneret Cleaner
Prod Code	A-888
Appearance	Colorless
Odor	Odorless
Flash Point	350°C
Boiling Point	400°C
Melting Point	NA
Auto Flammability	Not Self Ignitable
Density	NA
Vapor Pressure	NA
Viscosityat40°C	80cst
Solubility in Water	Non Miscible

Storage:

Store in a coo, dry place in tightly sealed container. Store out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electrical, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing ants. Rotate stock.

Note: Extremely flammable aerosol, SHAKE WELL BEFORE USE



TECHNICAL DATA SHEET

AMPAC ECC 66

Electric Cleaner

AMPAC ECC 66 is a specially formulated to clean electric and electronic instrument and components. Lift dust, dirt, oil, grease and other deposits. Fast penetration and evaporation. Non-toxic, non-corrosive, non- conductive and non-flammable. It helps restore the performance of electric and electronic component.

AMPAC ECC 66Non-Flammable Formula has a dielectric strength exceeding 30,000kV. Product use will help prevent electrical failures and restore efficiency.

Application

•	Electrical Panels	•	PC Board	Telecommunication
•	Circuit Breaker	•	Computers	Equipment
•	Contactor	•	Precision Electronics	Marine Electronic
•	Connectors	•	Electronic Equipment	Equipment

Features/Benefits

- Non-Flammable
 Non flash point
 Safe on plastics and metal
- Non-corrosive



TYPICALPROPERTIES

AMPAC ECC 66 E	lectric Cleaner	
Propellant	1, 2, 1,2-tetrafluoroethane	
Appearance	Clear Liquid	
Texture	Fast Evaporating Mist	
Consistency	Light	
Flash Point	No Flame Extension	
Specific Gravity	0.77 - 0.79 for Concentrate,	
7 August August	typical	

Storage

Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame , pilot lights, static electricity , or other sources of ignition. Store away from oxidizing agents. Rotate stock. Although aerosol is non-flammable , pooled liquid can ignite. Allow accumulated liquid to evaporate before re-energizing equipment.

Note: SHAKE WELL BEFOR

Page 2-2

www.surya-abadis.com



PRODUCS CODE

* GREASES

NO	PRODUCT NAME	CODE
1	AMPAC EPMulti-purpose Extreme Pressure Lithium Grease	
	- NLGI Grade 1.5	AM01234
2	AMPAC – 100 Multi-purpose Extreme PressureGrease	
	- NLGI Grade 000	AMG1075
	- NLGI Grade 00	AMG1076
	- NLGI Grade 0	AMG1077
	- NLGI Grade 1	AMG1078
	- NLGI Grade 2	AMG1079
3	AMPAC – MP LithcompMulti-purpose Lithium Complex Grease	
	- NLGI Grade 2	AMG3012
4	AMPAC – B66 Aluminum Complex Heavy Duty Tacky Grease	
	- NLGI Grade 2	AMG2801
5	AMPAC XTREME HD GREASEHeavy Duty High Temp Greases	

	- NLGI Grade 1	AMG2688
	- NLGI Grade 2	AMG2689
6	AMPAC – MOLY R33Heavy Duty, High Performance EP Grease	
	- NLGI Grade 2	AMG3301
7	AMPAC EM GreaseHigh Performance Long-life Polyurea Greas	е
	- NLGI Grade 2	AMG2021
8	AMPAC ALUMEX HDS/ow to Moderate Speed Grease	
	- NLGI Grade 2	AMG4182
9	AMPAC Litex GreaseMedium SpeedGrease	
	- NLGI Grade 2	AMG4512
10	AMPAC High Speed GreaseHigh SpeedGrease	
	- NLGI Grade 1	AMG4851
11	AMPAC W & TWater Resistant High Temperature Grease	
	- NLGI Grade 2	AMG4385
12	AMPAC WRPS GreaseWire Rope/Open Gear Grease	
	- NLGI Grade 1	AMG5190
13	AMPAC - Act Wire Rope & Chain Lubricants	
	- NLGI Grade 1	
14	AMPAC - SYN OGL 77 Synthetic Open Gear Lubricants	www.suryaabadis.com
	- NLGI Grade 2	AMG5302

*SEALANTS

NO	PRODUCT NAME	CODE
1	AMPAC Plug & Gate Valve Sealant – GVS 600	AMGVS 600
2.	AMPAC 601 Valve Lubricants	AMG601

*OILS

NO	PRODUCT NAME	CODE
1	AMPAC - H Series Hydraulic Oils	
	- ISO Grade22	AMO2401
	- ISO Grade 32	AMO2402
	- ISO Grade 46	AMO2403
	- ISO Grade 68	AMO2405
	- ISO Grade 100	AMO2406
	- ISO Grade 150	AMO2407
	- ISO Grade 220	AMO2408
	- ISO Grade 320	AMO2409
	- ISO Grade 460	AMO2410
2	AMPAC - C Series Air Compressor Oils	
	- ISO Grade 32	AMO3801
	- ISO Grade 46	AMO3802
	- ISO Grade 68	AMO3803
	- ISO Grade 100	AMO3804
	- ISO Grade 150	AMO3805
3	AMPAC - GBO Multipurpose Gear Box Oil Series	

	- ISO Grade 90	AMO0150
	- ISO Grade 140	AMO0151
4	AMPAC GL-5 High Performance Extreme Pressure Gear Bo	ox Oils
	- ISO Grade 90	AMO2501
	- ISO Grade 140	AMO2502
5	AMPAC XTREME GEAR OIL SERIES Heavy Duty Gear Box Oils	5
	- ISO Grade 46	AMO3512
	- ISO Grade 68	AMO3513
	- ISO Grade 100	AMO3514
	- ISO Grade 150	AMO3515
	- ISO Grade 220	AMO3516
	- ISO Grade 320	AMO3517
	- ISO Grade 460	AMO3518
	- ISO Grade 680	AMO3519
	- ISO Grade 1000	AMO3520
6	AMPAC - FLUSHING OIL Flushing Oil ISO 3	
	- ISO Grade 32	
7	AMPAC SYNCOMP SYNTHETIC OILS SERIES	www.suryaabadis.c
	Compressor Synthetic Oils	
	- ISO Grade 32	AMSO-6502
	- ISO Grade 46	AMSO-6503
	- ISO Grade 6	AMSO-6504
8	AMPAC HTF	HTF805

*CLEANER & DESCALER

NO	PRODUCT NAME	CODE	
1	AMPAC Super WB Industrial Cleaner & Degreaser		
2	AMPAC TRITONIUM BLUE Heavy Duty Cleaner		
3	AMPAC HCC (Hydrocarbon Cleaner) Concentrated Cleaner		
4	AMPAC SB – 778 Electric Motor Cleaner		
5	AMPAC SB – 705 Heavy Duty Solvent Cleaner		
6	AMPAC – CPS 22 C Spindle Cleaner		
7	AMPAC – Scale Remover Acid Cleaner & Descaler		
8	AMPAC SUPER RC Rust Cleaner		
9	AMPAC Valve Cleaner	AVC 1, AVC 2	

*AEROSOL

NO	PRODUCT NAME		CODE
1	AMPAC Act Wire Rope & Chain Lubricant	(Black)	
2	AMPAC LC Wire Rope & Chain Lubricant	(Clear)	

3	AMPAC – A88 Silicone Spinneret Spray	Spinneret Cleaner	A888
4	AMPAC ECC 66		





S A S